


2015 CATALOG



Cargo Control



www.exaloy.com

HEAVY DUTY PRODUCTS
FOR THE ROAD AHEAD
EXALOY®



EXALOY®: For the Road Ahead



EXALOY® Cargo Control Products are made with high quality materials and precision craftsmanship to meet today's most demanding cargo control needs. From straps and accessories to chains, EXALOY® products are engineered to deliver durability and high performance you can depend on today and years down the road.

Cargo Control Products



- Winch Straps 3-5
- Container Straps 6
- 2" Ratchet Straps 6
- 3" Ratchet Straps 7
- 4" Ratchet Straps 7
- Web Winches & Winch Track 8
- Winch Bars 8
- G70 Chain Assemblies 9
- Chain Load Binders 9
- G70 Clevis & Slip Hooks 9
- Coil Rack & Web Winder 10
- Tarp Straps 10
- Edge Protectors & Edge Guards 10
- Utility Tie Downs 10
- Interior Van Straps 11
- Interior Van Accessories 11
- Cargo & Jack Bars 11
- Decking Beams / Logistic Track 11



Winch Straps



All flat hook assemblies come with wear guard.



22-30-F-Y

2" x 30' Yellow Winch Strap with Flat Hook
3,333 lbs. / 1,515 kg. WLL
Weight: 3.20 lbs. / 1.45 kg.



23-30-C-Y

3" x 30' Yellow Winch Strap with Chain Anchor
5,400 lbs. / 2,450 kg. WLL
Weight: 6.80 lbs. / 3.08 kg.



23-30-F-Y

3" x 30' Yellow Winch Strap with Flat Hook
5,400 lbs. / 2,450 kg. WLL
Weight: 4.50 lbs. / 2.04 kg.



24-30-F-Y

4" x 30' Yellow Winch Strap with Flat Hook
5,400 lbs. / 2,450 kg. WLL
Weight: 5.00 lbs. / 2.27 kg.



24-30-F-R

4" x 30' Red Winch Strap with Flat Hook
5,400 lbs. / 2,450 kg. WLL
Weight: 5.00 lbs. / 2.27 kg.



24-30-F-B

4" x 30' Blue Winch Strap with Flat Hook
5,400 lbs. / 2,450 kg. WLL
Weight: 5.00 lbs. / 2.27 kg.

Custom sizes available upon request.



Winch Straps



24-30-C-Y

4" x 30' Yellow Winch Strap with Chain Anchor
5,400 lbs. / 2,450 kg. WLL
Weight: 7.00 lbs. / 3.17 kg.



24-30-D-Y

4" x 30' Yellow Winch Strap with Delta Ring
5,400 lbs. / 2,450 kg. WLL
Weight: 4.90 lbs. / 2.22 kg.



24-30-TL-Y

4" x 30' Yellow Winch Strap with Twisted Loop
5,400 lbs. / 2,450 kg. WLL
Weight: 5.00 lbs. / 2.27 kg.



24-40-F-Y

4" x 40' Yellow Winch Strap with Flat Hook
5,400 lbs. / 2,450 kg. WLL
Weight: 6.50 lbs. / 2.95 kg.



24-40-C-Y

4" x 40' Yellow Winch Strap with Chain Anchors
5,400 lbs. / 2,450 kg. WLL
Weight: 8.00 lbs. / 3.63 kg.



24-30-F-BL

4" x 30' Black Winch Strap with Flat Hook
5,400 lbs. / 2,450 kg. WLL
Weight: 5.00 lbs. / 2.27 kg.



24-30-F-RWB

4" x 30' Red / Blue Winch Strap with Flat Hook – American Flag
5,400 lbs. / 2,450 kg. WLL
Weight: 5.00 lbs. / 2.27 kg.



24-30-F-CAMO

4" x 30' Camo Winch Strap with Flat Hook
5,400 lbs. / 2,450 kg. WLL
Weight: 5.00 lbs. / 2.27 kg.



24-30-F-PTFC

4" x 30' Pink Winch Strap with Flat Hook – Trucking For The Cure
5,400 lbs. / 2,450 kg. WLL
Weight: 5.00 lbs. / 2.27 kg.

Excalibur Heavy-Duty Winch Straps



24-HDSG-30-F

4" x 30' Excalibur Heavy Duty Winch Strap with Flat Hook
5,400 lbs. / 2,450 kg. WLL
Weight: 5.50 lbs. / 2.49 kg.



24-HDSG-30-C

4" x 30' Excalibur Heavy Duty Winch Strap with Chain Anchor
5,400 lbs. / 2,450 kg. WLL
Weight: 7.50 lbs. / 3.40 kg.

Container Straps



24-5-RO-BL

4" x 5' Black Roll-Off Container Strap with Container Hook
5,400 lbs. / 2,450 kg. WLL
Weight: 3.40 lbs. / 1.54 kg.



24-5-ROL-BL

4" x 5' Black Roll-Off Container Strap with Container Hook and Loop End
5,400 lbs. / 2,450 kg. WLL
Weight: 3.40 lbs. / 1.54 kg.



Ratchet Straps

HEAVY DUTY PRODUCTS

2" x 30' Ratchet Straps


12-30-F-Y

2" x 30' Yellow Ratchet Strap with Flat Hooks
3,333 lbs. / 1,515 kg. WLL
Weight: 6.10 lbs. / 2.77 kg.



12-30-W-Y

2" x 30' Yellow Ratchet Strap with Wire Hooks
3,333 lbs. / 1,515 kg. WLL
Weight: 6.00 lbs. / 2.72 kg.



12-30-C-Y

2" x 30' Yellow Ratchet Strap with Chain Anchors
3,333 lbs. / 1,515 kg. WLL
Weight: 11.10 lbs. / 5.03 kg.



12-30-F-BL

2" x 30' Black Ratchet Strap with Flat Hooks
3,333 lbs. / 1,515 kg. WLL
Weight: 6.10 lbs. / 2.77 kg.



12-30-F-CAMO

2" x 30' Camo Ratchet Strap with Flat Hooks
3,333 lbs. / 1,515 kg. WLL
Weight: 6.10 lbs. / 2.77 kg.



12-30-F-BLC

2" x 30' Black-Chrome Ratchet Strap with Chrome Flat Hooks
3,333 lbs. / 1,515 kg. WLL
Weight: 6.10 lbs. / 2.77 kg.



12-30-F-RWB

2" x 30' Red / Blue Ratchet Strap with Flat Hooks – American Flag
3,333 lbs. / 1,515 kg. WLL
Weight: 6.10 lbs. / 2.77 kg.



12-30-F-PTFC

2" x 30' Pink Ratchet Strap with Flat Hooks – Trucking For The Cure
3,333 lbs. / 1,515 kg. WLL
Weight: 6.10 lbs. / 2.77 kg.

2" x 30' Excalibur Heavy-Duty Ratchet Straps

12-HDSG-30-F

2" x 30' Excalibur Heavy Duty Ratchet Strap with Flat Hooks
3,333 lbs. / 1,515 kg. WLL
Weight: 6.10 lbs. / 2.77 kg.




12-HDSG-30-C

2" x 30' Excalibur Heavy Duty Ratchet Strap with Chain Anchors
3,333 lbs. / 1,515 kg. WLL
Weight: 8.10 lbs. / 3.67 kg.




3" x 30' Ratchet Straps




13-30-F-Y

3" x 30' Yellow Ratchet Strap with Flat Hooks
5,400 lbs. / 2,450 kg. WLL
Weight: 13.20 lbs. / 5.99 kg.




13-30-W-Y

3" x 30' Yellow Ratchet Strap with Wire Hooks
5,400 lbs. / 2,450 kg. WLL
Weight: 13.10 lbs. / 5.94 kg.



13-30-G-Y

3" x 30' Yellow Ratchet Strap with Grab Hooks
5,400 lbs. / 2,450 kg. WLL
Weight: 14.70 lbs. / 6.67 kg.



13-30-C-Y

3" x 30' Yellow Ratchet Strap with Chain Anchors
5,400 lbs. / 2,450 kg. WLL
Weight: 17.80 lbs. / 8.07 kg.

4" x 30' Ratchet Straps



14-30-F-Y6

4" x 30' Yellow Ratchet Strap with Flat Hooks
6,600 lbs. / 3,000 kg. WLL
Weight: 15.50 lbs. / 7.03 kg.



14-30-W-Y6

4" x 30' Yellow Ratchet Strap with Wire Hooks
6,600 lbs. / 3,000 kg. WLL
Weight: 15.40 lbs. / 6.99 kg.



14-30-C-Y6

4" x 30' Yellow Ratchet Strap with Chain Anchors
6,600 lbs. / 3,000 kg. WLL
Weight: 18.40 lbs. / 8.35 kg.



Winches, Winch Bars, Chains, Load Binders & Hooks

HEAVY DUTY PRODUCTS

Web Winches & Winch Track


Powder Coated and Galvanized for corrosion protection along with seamless solid steel mandrels. DOT compliant.



41-SL-STD7
Web Winch C Channel Slider Standard – 7mm
6,000 lbs. / 2,721 kg. WLL
Weight: 7.50 lbs. / 3.40 kg.



41-DBL-STD7
Web Winch Double L Slider Standard – 7mm
5,500 lbs. / 2,268 kg. WLL
Weight: 6.30 lbs. / 2.86 kg.



41-DBL-STD7G
Web Winch Double L Track Slider Standard – 7mm Galvanized
5,500 lbs. / 2,268 WLL
Weight: 6.30 lbs. / 2.86 kg.

41-SL-STO7
Web Winch C Channel Slider Storage – 7mm
6,000 lbs. / 2,721 kg. WLL
Weight: 8.20 lbs. / 3.72 kg.

41-DBL-STO7
Web Winch Double L Slider Storage – 7mm
5,500 lbs. / 2,268 kg. WLL
Weight: 6.80 lbs. / 3.08 kg.

41-DBL-LO7G
Web Winch Double L Slider Low Profile – 7mm Galvanized
5,500 lbs. / 2,268 kg. WLL
Weight: 6.10 lbs. / 2.77 kg.

41-DBL-LO7
Web Winch Double L Slider Low Profile – 7mm
5,500 lbs. / 2,268 kg. WLL
Weight: 6.10 lbs. / 2.77 kg.



41-WO-STD
Web Winch Weld On Bottom Mount Standard – 8mm
5,500 lbs. / 2,268 kg. WLL
Weight: 8.80 lbs. / 3.99 kg.



41-WO-STO
Web Winch Weld On Bottom Mount Storage – 8mm
5,500 lbs. / 2,268 kg. WLL
Weight: 9.20 lbs. / 4.17 kg.

41-PO-STD7
Web Winch-Standard Portable 2SS – 7mm
5,500 lbs. / 2,268 kg. WLL
Weight: 8.45 lbs. / 3.83 kg.



41-3BARDBL-LPG7
Web Winch 3 Bar Double L Slider Low Profile – 7mm Galvanized
5,500 lbs. / 2,268 kg. WLL
Weight: 10.40 lbs. / 4.72 kg.



80-TRK-ST6
Winch Track 6' Steel C Channel
Weight: 38.70 lbs. / 17.55 kg.

41-PO-STO7
Web Winch Storage Portable 2SS – 7mm
5,500 lbs. / 2,268 kg. WLL
Weight: 9.30 lbs. / 4.22 kg.

41-PO-LO7
Web Winch Portable Low Profile 2SS – 7mm
5,500 lbs. / 2,268 kg. WLL
Weight: 7.60 lbs. / 3.45 kg.

41-3BARDBL-STDG7
Web Winch 3 Bar Double L Slider Standard – 7mm Galvanized
5,500 lbs. / 2,268 kg. WLL
Weight: 11.90 lbs. / 5.40 kg.

Winch Bars

Designed for long term heavy use. EXALOY® winch bars are heat treated, knurled and have flanged mushroom tip.

40-BAR-P
Winch Bar-Standard Painted
Weight: 5.50 lbs. / 2.49 kg.

40-BAR-C
Winch Bar-Standard Chrome
Weight: 5.50 lbs. / 2.49 kg.

40-BAR-CC
Winch Bar-Combination Chrome
Weight: 5.95 lbs. / 2.70 kg.

40-BAR-CP
Winch Bar-Combination Chrome Box End
Weight: 6.82 lbs. / 3.09 kg.



G70 Chain Assemblies



50-520-7

Load Binder Chain – 5/16" x 20'
with Clevis Hooks
4,700 lbs. / 1,814 kg. WLL
Weight: 23.00 lbs. / 10.43 kg.

50-525-7

Load Binder Chain – 5/16" x 25'
with Clevis Hooks
4,700 lbs. / 1,814 kg. WLL
Weight: 27.00 lbs. / 12.25 kg.



50-320-7

Load Binder Chain – 3/8" x 20'
with Clevis Hooks
6,600 lbs. / 2,722 kg. WLL
Weight: 32.00 lbs. / 14.51 kg.

50-325-7

Load Binder Chain – 3/8" x 25'
with Clevis Hooks
6,600 lbs. / 2,722 kg. WLL
Weight: 40.00 lbs. / 18.14 kg.



50-120-7

Load Binder Chain – 1/2" x 20'
with Clevis Hooks
11,300 lbs. / 4,990 kg. WLL
Weight: 55.00 lbs. / 24.95 kg.



All EXALOY® grade 70 short link transport chain meets or exceeds all industry standards specified by the National Association of Chain Manufacturers (NACM).

Chain Load Binders

All EXALOY® Chain Binders are manufactured to the highest industry standards. All steel drop forged construction with grade 70 short link transport chain that meets NACM standards.



51-CBS-66

Chain Load Binder – 5/16" to 3/8" Lever
6,600 lbs. / 2,722 kg. WLL
Weight: 8.60 lbs. / 3.90 kg.

51-CBS-91

Chain Load Binder – 1/2" Lever
11,300 lbs. / 4,990 kg. WLL
Weight: 23.10 lbs. / 10.48 kg.



51-CBR-66

Chain Load Binder – 5/16" to 3/8" Ratchet
6,600 lbs. / 2,722 kg. WLL
Weight: 10.80 lbs. / 4.90 kg.

51-CBR-91

Chain Load Binder – 1/2" Ratchet
11,300 lbs. / 4,990 kg. WLL
Weight: 14.30 lbs. / 6.49 kg.



51-CBS-66-EZ

Chain Load Binder – 5/16" to 3/8" Lever
Recoilless
6,600 lbs. / 2,722 kg. WLL
Weight: 9.60 lbs. / 4.35 kg.

G70 Clevis & Slip Hooks



52-GH-14-7

1/4" Clevis Hook
3,150 lbs. / 1,429 kg. WLL
Weight: 0.75 lbs. / 0.34 kg.

52-GH-56-7

5/16" Clevis Hook
4,700 lbs. / 2,132 kg. WLL
Weight: 0.90 lbs. / 0.41 kg.

52-GH-38-7

3/8" Clevis Hook
6,600 lbs. / 2,994 kg. WLL
Weight: 1.10 lbs. / 0.50 kg.

52-GH-12-7

1/2" Clevis Hook
11,300 lbs. / 5,126 kg. WLL
Weight: 2.30 lbs. / 1.04 kg.



52-SH-14-7

1/4" Slip Hook G70 – Zinc Plated – With Safety Latch
3,150 lbs. / 1,430 kg. WLL
Weight: 0.59 lbs. / 0.27 kg.

52-SH-56-7

5/16" Slip Hook G70 – Zinc Plated – With Safety Latch
3,150 lbs. / 1,429 kg. WLL
Weight: 0.95 lbs. / 0.43 kg.

52-SH-38-7

3/8" Slip Hook G70 – Zinc Plated – With Safety Latch
6,600 lbs. / 2,994 kg. WLL
Weight: 1.15 lbs. / 0.52 kg.

52-SH-12-7

1/2" Slip Hook G70 – Zinc Plated – With Safety Latch
11,300 lbs. / 5,130 kg. WLL
Weight: 2.90 lbs. / 1.32 kg.



52-OSH120

1/2" Open Slip Hook
11,300 lbs. / 5,126 kg. WLL
Weight: 2.89 lbs. / 1.31 kg.



Coil Rack & Web Winder



61-RK-PT
Coil Rack – Light Duty
Weight: 5.10 lbs. / 2.31 kg.

61-RK-DBL
Coil Rack – Heavy Duty
Weight: 15.00 lbs. / 6.80 kg.

43-WIN
Web Winder
Weight: 2.60 lbs. / 1.18 kg.

Tarp Straps



**Domestic –
Made in USA**

31-10-EPDM
10" Tarp Strap EPDM – 50 Per Box
Weight: 10.00 lbs. / 4.53 kg.

31-15-EPDM
15" Tarp Strap EPDM – 50 Per Box
Weight: 12.00 lbs. / 5.44 kg.

31-21-EPDM
21" Tarp Strap EPDM – 50 Per Box
Weight: 15.00 lbs. / 6.80 kg.

31-31-EPDM
31" Tarp Strap EPDM – 50 Per Box
Weight: 20.00 lbs. / 9.07 kg.

31-41-EPDM
41" Tarp Strap EPDM – 50 Per Box
Weight: 25.00 lbs. / 11.34 kg.

Edge Protectors

20-CS-12
Web Protector – Cordura
Sleeve- 12" Long
Weight: 0.10 lbs. / 0.05 kg.

30-PLA
Corner Protector 4" – Plastic
Weight: 0.20 lbs. / 0.09 kg.

30-375
Chain Corner Protector
Weight: 0.90 lbs. / 0.41 kg.

30-RUB3
Corner Protector 3" – Rubber
Weight: 0.75 lbs. / 0.34 kg.

30-390
Corner Protector –
Steel for Chain
Weight: 1.30 lbs. / 0.59 kg.

30-PLA-12
12" Plastic Corner Protector
Weight: 0.43 lbs. / 0.20 kg.

30-RUB4
Corner Protector 4" – Rubber
Weight: 0.85 lbs. / 0.38 kg.

30-390-R
Corner Protector –
Steel with Outside Rubber
Weight: 1.90 lbs. / 0.86 kg.

30-TRP
Tarp Protector
Weight: 0.20 lbs. / 0.09 kg.


Edge Guards

30-EG-12R
12" x 8" x 8" Edge Guards
Weight: 0.82 lbs. / 0.37 kg.


30-EG-24B
24" x 8" x 8" Edge Guards
Weight: 1.75 lbs. / 0.79 kg.

30-EG-36G
36" x 8" x 8" Edge Guards
Weight: 2.75 lbs. / 1.25 kg.

30-EG-48BL
48" x 8" x 8" Edge Guards
Weight: 3.63 lbs. / 1.65 kg.



Utility Tie Downs



11-16-WD
1" x 16' Blue Ratchet Strap with
Wire Hooks and Floating D-Ring
1,000 lbs. / 454 kg. WLL
Weight: 1.60 lbs. / 0.73 kg.

Interior Van Straps



721-12-E-Y
2' x 12' Yellow Cam Buckle Van Strap with Spring Actuated End Fittings
833 lbs. / 378 kg. WLL
Weight: 1.50 lbs. / 0.68 kg.




721-16-E-G
2' x 16' Gray Cam Buckle Van Strap with Spring Actuated End Fittings
833 lbs. / 378 kg. WLL
Weight: 1.69 lbs. / 0.77 kg.




721-20-E-B
2' x 20' Blue Cam Buckle Van Strap with Spring Actuated End Fittings
833 lbs. / 378 kg. WLL
Weight: 1.88 lbs. / 0.85 kg.



72-12-E-Y
2' x 12' Yellow Ratchet Van Strap with Spring Actuated End Fittings
1,000 lbs. / 454 kg. WLL
Weight: 2.14 lbs. / 0.97 kg.



72-16-E-G
2' x 16' Gray Ratchet Van Strap with Spring Actuated End Fittings
1,000 lbs. / 454 kg. WLL
Weight: 2.33 lbs. / 1.06 kg.




72-20-E-B
2' x 20' Blue Ratchet Van Strap with Spring Actuated End Fittings
1,000 lbs. / 454 kg. WLL
Weight: 2.52 lbs. / 1.14 kg.


Interior Van Accessories



25-RTO-E-1
Yellow Rope Tie Off-Series E (Spring Actuated Fitting)
1,000 lbs. / 454 kg. WLL
Weight: 0.40 lbs. / 0.18 kg.



18-PFBC-530
Pan Fitting with Black Trim Collar
530 lbs. / 240 kg. WLL
Weight: 0.30 lbs. / 0.14 kg.



18-RPF-1
Recessed Pan Fitting
1,666 lbs. / 756 kg. WLL
Weight: 1.20 lbs. / 0.54 kg.



11-25-DS
1" x 31" Red Cargo Containment Strap With Snap Hooks
Weight: 1.50 lbs. / 0.68 kg.



90-BS-STD
Standard Beam Socket
Weight: 0.70 lbs. / 0.32 kg.



90-BS-HD
Heavy Duty Beam Socket
Weight: 0.90 lbs. / 0.41 kg.

Cargo & Jack Bars



80-ST-CB-STD
Steel Cargo Bar – Adjustable Range 89"-105"
Weight: 10.64 lbs. / 4.83 kg.



81-JB-STD
Heavy Duty Jack Bar – Adjustable Range 86"-114"
Weight: 15.10 lbs. / 6.85 kg.

Decking Beams / Logistic Track



90-ADB-103STD
Standard Duty Aluminum Decking Beam For 102" Wide Trailer
2,200 lbs. / 998 kg. WLL
Weight: 18.80 lbs. / 8.53 kg.



80-E-TRK-H10
10' Series E-Track – Black Finish
Weight: 15.40 lbs. / 6.99 kg.



80-E-TRK-GH10
10' Series E-Track – Galvanized
Weight: 15.40 lbs. / 6.99 kg.



EXALOY® LLC Cargo Control Products are available across North America. Call Customer Service for more information.



Customer Service: (866) 936-9498

EXALOY® LLC Corporate Office:
PO Box 522
Perrysburg, OH 43551
Fax: (567) 246-3031

www.exaloy.com

